

Oak White Contract

Product details / Technical properties

| Article number | 10136398 (EI2L72TY) | Bevel | square edged | Moisture content | 5-9% |
|---------------------|-----------------------------|------------------------------|--------------|--|---------------|
| Wood | Oak | Number of slotted top layers | 1 | Fire protection classification | Dfl-s1 |
| Grading | Contract | Surface structure | sanded | Content of formaldehyde | E1 |
| Product type | 3-Layer | m² per carton | 1,89 | PCP content | NPD |
| Format | 23mm Longstrip 3-Strip | Boards per carton | 4 | Brinell Value (N/mm²) | 38 |
| Dimensions | 7/8 x 8-15/32 x 86-5/8 inch | Weight per carton (kg) | 23 | Shrinking and swelling | |
| Top layer thickness | 3,5 mm | m² per pallet | 85,05 | Breaking strength | NPD |
| Core material | Spruce / Spruce | Boxes per pallet | 45 | Thermal conductivity (W/(m*K) | 0,125 |
| Connection | T/G | Weight per pallet (kg) | 1035 | Thermal resistance (m ² *K)/W | 0,184 |
| Floor heating | conditionally suitable | EN Norm | EN 13489 | Antislip performance (CE) | USRV 33 |
| Treatment | Live Matt lacquer | FSC claim | FSC™ Mix 70% | Antislip performance (DIN) | R9 |
| Appearance | Light | Performance classification | Class 1 | Nobb.number | 53111058 |
| Colour | White | Density | >= 500kg/m³ | EAN Code | 7035580212126 |


















Wood is a product of nature – each tree has its own structure and individual colour combination. An image or a sample will therefore never be able to give you a complete picture of the finished floor. Please also note that the colour may change when exposed to light. As a guideline, darker wood species will get a more golden tone, whereas lighter species will become slightly darker. Cracked knots are filled with putty, so small gaps between the putty and wood may appear.

